

UNION FLOOR

ZHANGJIAGANG REFINE UNION NEW MATERIALS CO.,LTD

-woven vinyl rolls-



COMMAN
REFINE UNION

Floor Coverings—Rolls

Our woven vinyl products are a new performance and unlimited styling options. Our products can be used for both residential and commercial areas.




[click image](#)




PVC Backing for Rolls

The product structure is fabric layer, fiberglass mesh and PVC layer.

This innovation has lower cost and feel comfortable underfoot .





Special Backing for Rolls

We developed a new special backing for the rolls. The product structure is fabric layer, fiberglass mesh, PVC, and new non-woven material layer. This innovation can reduce noise, feel more comfortable underfoot, more importantly, the size is more stable than the ordinary PVC backing, and is not easy to shrink.




ECO-21013



ECO-21014



ECO-21020



ECO-22014



ECO-22015



ECO-21019




ECO-22016



ECO-21042



ECO-21039



ECO-21022



ECO-8014H-4




ECO-8014H-5



ECO-8014H-8



ECO-8014H-11



ECO-8014H-17



ECO-8014H-18



ECO-8014H-19



ECO-8053H



ECO-8012H



ECO-8013H



ECO-11026BS



ECO-51002BP



ECO-51004BP



ECO-5100BP-1




ECO-51009BP



ECO-51012BP



ECO-51013BP



ECO-51023BP




ECO-52001BP



ECO-8026H




ECO-8059H




ECO-6017S-1




ECO-6021S



ECO-11016BS



ECO-6040S




ECO-6042S



ECO-6041S



ECO-6038S



ECO-21016



ECO-21004




ECO-21046



ECO-44024



ECO-21010



ECO-21039



ECO-44035



ECO-44032



ECO-11024BS



ECO-52008BP-1



ECO-51002BP



ECO-51004BP



ECO-52006BP



ECO-52011BP




ECO-52028BP




ECO-52029BP



ECO-52032BP



ECO-52033BP





ECO-52038BP



ECO-11018BS-1



ECO-11027BS



ECO-1029BS



ECO-11033BS




ECO-11040BS



ECO-11042BS




ECO-11022BS



ECO-5100BP-1



ECO-11036BS-1

TECHNICAL INFORMATION		ROLLS
Classification	EN 685	33
Weight	ISO 8543	2.7-3.1kg/m ²
Thickness	ISO 1765	2.5mm-2.8mm
Roll length	EN 426	20-25m
Roll width	EN 426	2m
Tile dimension	EN 994	-
Dimension stability	ISO 2551	< 0.25%
Curvature	EN 434	< 2mm
Caster Chair	EN 985	Continuous use
Body voltage	ISO 1815	≤ 2.0KV
Thermal resistance	ISO 8302	Suitable for underfloor heating
Colour fastness to light	ISO 105-B02	> 6
Anti-slip property	EN13893	> 0.3
Reaction to fire	EN13501-1	Bfl-s1
Smoke density	ASTM E662	< 450
REACH test	1907/2006	NO.(6614)008-1228-R2
CE certification 	EN14041 EN15114	NO. EC.1282.OA140305.AYD0738
ISO 9001 certification	ISO 9001:2008	NO. 04514Q20096R0S
ISO14001 certification	ISO14001:2004	NO. 04514E20029R0S



ZHANGJIAGANG REFINE UNION NEW MATERIALS CO.,LTD

Add: Economic And Technical Developing Zone, Zhangjiagang City, Jiangsu Province, China

Tel: 0086-512-55395167、56313127, 55395108

Mobile: 0086-13773228820, 0086-13962466356

Fax: 0086-512-56313167

Website: www.rfunion.com

E-mail: steven@rfunion.com