
# UNION FLOOR

ZHANGJIAGANG REFINE UNION NEW MATERIALS CO.,LTD

-woven vinyl tiles-





# Floor Coverings—Tiles


Our woven vinyl products are a new innovation featuring outstanding performance and unlimited styling options. Our products can be used for both residential and commercial areas.

Our residential products ranges from floor covering, wall covering, carpet, door mat, placement, etc. While our commercial products can be used in kids area, hospitals, offices, hotels, exclusive boutiques and exhibition spaces.






### **Shapes of Tiles**






Refine Union is a creative and contemporary flooring concept based on seven different tile shapes. Your pattern design will vary in look depending on the choice of colour, the direction of the yarn and light reflections. Available in Delux, Fantasy, Classic and Elegant. For more information and inspiration visit http://www.rfunion.com/




## Special Backing for Tiles


We developed a new special backing for the tiles. The product structure is fabric layer, fiberglass mesh, PVC, and new non-woven material layer. This innovation can reduce noise, feel more comfortable underfoot, more importantly, the size is more stable than the ordinary PVC backing, and is not easy to shrink.








ECO-8026H




ECO-8059H



ECO-6017S-1



ECO-6021S



ECO-6041S









ECO-6040S





ECO-51002BP



ECO-51004BP



ECO-5100BP-1




ECO-51009BP



ECO-51012BP



ECO-51013BP



ECO-51023BP



ECO-52001BP










ECO-52038BP



ECO-52008BP-1



ECO-51002BP



ECO-51004BP



ECO-52006BP



ECO-52011BP



ECO-52028BP



ECO-52029BP




ECO-52032BP



ECO-52033BP







ECO-11027BS



ECO-11029BS



ECO-11042BS



ECO-11033BS




ECO-11018BS-1



ECO-11040BS

TECHNICAL INFORMATION		ROLLS
Classification	EN 685	33
Weight	ISO 8543	2.7-3.1kg/m <sup>2</sup>
Thickness	ISO 1765	2.5mm-2.8mm
Roll length	EN 426	20-25m
Roll width	EN 426	2m
Tile dimension	EN 994	3-1
Dimension stability	ISO 2551	< 0.25%
Curvature	EN 434	< 2mm
Caster Chair	EN 985	Continous use
Body voltage	ISO 1815	≤ 2.0KV
Thermal resistance	ISO 8302	Suitable for underfloor heating
Colour fastness to light	ISO 105-B02	> 6
Anti-slip property	EN13893	> 0.3
Reaction to fire	EN13501-1	Bfl-s1
Smoke density	ASTM E662	< 450
REACH test	1907/2006	NO.(6614)008-1228-R2
CE certification ( €	EN14041 EN15114	NO. EC.1282.OA140305.AYD0738
ISO 9001 certification	ISO 9001:2008	NO. 04514Q20096R0S
ISO14001 certification	ISO14001:2004	NO. 04514E20029R0S



#### ZHANGJIAGANG REFINE UNION NEW MATERIALS CO.,LTD

Add: Economic And Technical Developing Zone, Zhangjiagang City, Jiangsu Province, China

Tel: 0086-512-55395167、56313127,55395108 Mobile: 0086-13773228820,0086-13962466356

Fax: 0086-512-56313167 Website: www.rfunion.com

E-mail: steven@rfunion.com